

Technical Data Sheet

Name: IFCA-935

Revision Date: 2023-08-04

Version:1.3

Properties

1. No organic solvent, non-toxic, low odor, environmentally friendly rheology modification additives
2. Improve the medium shear viscosity at lower dosage;
3. Compared with polymer cellulose, it can effectively improve the fluidity and leveling of coatings
4. Showing high shear viscosity during construction, good covering power and excellent splash resistance
5. Anti-microbial and enzyme degradation

Characteristic data*

Property	Value	Unit
Appearance	Translucent to milky white liquid	
Chemical type	Anionic	
Activity content	30	%
Ionicity	Anionic	
PH	2.0-4.0	

*These properties are typical but do not constitute specifications.

Dosage

The recommended dosage is 0.2-1.0% of the total formulation. Please dilute with water, recommended 1:1-2 (water). Under low-speed mixing, add the dilution slowly, and stop adding after reaching the required viscosity of the paint.

Storage

The product should be stored in dry condition between 5~40°C with the integrity of the packaging, and prevented from direct sunlight. The validity of this product is for 12 months, performance assessment is recommended before use after shelf life. The product should be protected from freezing during storage. It is suggested to filter before application and use up once the package is open.

IFCA-935



Disclaimer

Foshan Shunde Infinechem Co., Ltd. recommends that customers should check with Materials Safety Data Sheet (MSDS) for details about safety instructions. We also suggest that you contact the suppliers of other materials used in our recommended formulations and consult appropriate health and safety regulations prior to use. The information contained herein is believed to be reliable. However, nothing in this technical sheet should be considered as a representation of warranty, express or implicit, regarding the product characteristics, application, quality, safety, merchantability or fitness for a particular purpose. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.