# IFC-2934



Styrene acrylic copolymer emulsion for flexible waterproof coating emulsion

## **Technical Data Sheet**

Name: IFC-2934

Revision Date: 2022-08-07 Version:1.3

## **Product Description**

IFC-2934 is a type of flexible waterproof coating emulsion consisting of styrene acrylic copolymer. It is a single, two-component waterproof coating and acrylic emulsion. This emulsion exhibits good adhesion to the substrate and can be used as a single or dual-component product. The simple formulation and easy application process make it a practical choice.

### **Properties**

- 1. Excellent anti-cracking properties, no need for additional plasticizers
- 2. Excellent low-temperature elasticity
- 3. High powder inclusiveness
- 4. Strong adhesion

#### Characteristic data\*

Property	Value	Unit
Appearance	Milky white liquid	
Solid content	50±1	%
Viscosity	700-1000	mPa.s
PH	7-8	
Tg	-8	$^{\circ}\mathrm{C}$

<sup>\*</sup>These properties are typical but do not constitute specifications.

## **Storage**

The product should be stored in dry condition between 10~35°C with the integrity of the packaging, and prevented from direct sunlight. The validity of this product is for 6 months, performance assessment is recommended before use after shelf life. The product should be protected from freezing during storage. It is suggested to filter before application and use up once the package is open.

### Disclaimer

Foshan Shunde Infinechem Co., Ltd. recommends that customers should check with Materials Safety Data Sheet (MSDS) for details about safety instructions. We also

# IFC-2934



suggest that you contact the suppliers of other materials used in our recommended formulations and consult appropriate health and safety regulations prior to use. The information contained herein is believed to be reliable. However, nothing in this technical sheet should be considered as a representation of warranty, express or implicit, regarding the product characteristics, application, quality, safety, merchantability or fitness for a particular purpose. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.