

IFC-7111



Emulsion applied to woodworking assembly glue and yellow glue

Technical Data Sheet

Name: IFC-7207

Revision Date: 2023-08-04

Version:1.3

Product Description

IFC-7111 is a vinyl acetate modified emulsion mainly used for the production of woodworking assembly adhesives and yellow glue.

IFC-7111 has very high adhesive strength and excellent heat and water resistance. It is able to repeatedly resist boiling in water, and its softness and hardness are moderate without hurting knives.

Properties

1. Good water resistance
2. Good heat resistance
3. Good fluidity and long open time.
4. Good initial adhesion, very high bonding strength
5. Very good inclusiveness of calcium carbonate, no precipitation

Characteristic data*

Property	Value	Unit
Polymer Type	Vinyl acetate modified copolymer	
Appearance	Milky white liquid	
Solid Content	52.0±55.0	%
PH (25°C)	4.0±6.0	
Viscosity	13000-23000	mPa·s

*These properties are typical but do not constitute specifications.

Storage

Products shall be stored in closed containers to avoid freezing and high temperature. It is recommended that the normal storage temperature be 5~35°C, and the effective storage period is half a year from the date of packaging.

IFC-7111



Disclaimer

Foshan Shunde Infinechem Co., Ltd. recommends that customers should check with Materials Safety Data Sheet (MSDS) for details about safety instructions. We also suggest that you contact the suppliers of other materials used in our recommended formulations and consult appropriate health and safety regulations prior to use. The information contained herein is believed to be reliable. However, nothing in this technical sheet should be considered as a representation of warranty, express or implicit, regarding the product characteristics, application, quality, safety, merchantability or fitness for a particular purpose. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.