

IFC-3113

Epoxy emulsion



Technical Data Sheet

Name: IFC-3113

Revision Date: 2023-08-04

Version:1.3

Product Description

IFC-3113 is an epoxy emulsion made by emulsifying epoxy resin, with low odor, excellent stability by centrifugal stability and dilution stability test. It can be used in waterborne epoxy anti-corrosive coatings, etc., with excellent physical and mechanical properties and anti-corrosive effect.

Properties

1. Low odor
2. Excellent stability
3. Excellent physical and mechanical properties and anti-corrosive effect

Characteristic data*

Property	Value	Unit
Appearance	Milky white liquid	
Epoxy equivalent	1000-1100	g/mol
Viscosity	2500-4500	m.Pas
Solid content	55±1	%

*These properties are typical but do not constitute specifications.

Usage

Waterborne epoxy anti-corrosive coatings.

Storage

The product should be stored in a dry, cool, ventilated warehouse away from ignition sources. The temperature in the warehouse should be controlled at below 35 °C . The lighting and electrical appliances in the warehouse should be explosion-proof.

Disclaimer

Foshan Shunde Infinechem Co., Ltd. recommends that customers should check with Materials Safety Data Sheet (MSDS) for details about safety instructions. We also suggest that you contact the suppliers of other materials used in our recommended

IFC-3113



formulations and consult appropriate health and safety regulations prior to use. The information contained herein is believed to be reliable. However, nothing in this technical sheet should be considered as a representation of warranty, express or implicit, regarding the product characteristics, application, quality, safety, merchantability or fitness for a particular purpose. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.